DRAFT Schedule of Proposed Changes Final Strategy & Masterplan SPD



Page/ Ref	Change 'Add', 'Amend', 'Remove' or 'Check'	Reason
Refs taken from Draft SPD (Feb 2011)	Add, Amend, Remove of Check	
General	Add: paragraph numbers throughout. Add by section, i.e.	For ease of reference and standard SPD practice.
	1.1, 2.1, 3.1 etc.	
	Appendices marked A1.1, A2.1 etc.	
General	Remove: all references to 'Draft' SPD including on footnotes.	Updating.
	Check all references read 'Town Centre' 'Strategy and Masterplan'.	
General	Check: all references to Key Areas and Site reference numbers and whether these need amending in light of additional site(s).	Updating.
General	Check: all references to Franklins 'Recreation Ground' and remove any to 'Park'.	For consistency.
General	Check: All diagrams / town centre boundary.	For consistency.
Masterplan & Key Areas	On Masterplan remove any blue markings on buildings. Add a key.	To reflect plan clarity and flexibility.
	Check that all Key Areas refer appropriately to 'active frontages'.	
Title Page	Amend: to 'Adoption' / Remove: 'Draft'	Updating.
Dogo 4	Amend: Date 'July 2011'	Lindating
Page 4	Check: updated OS Licence Number	Updating.
		ACTION FOR CBC
Page 5	Check: contents page	To reflect Updating.
Page 8/ 9	Amend: references to Site Allocations DPD as 'adopted April 2011' to text and footnote of Figure 02.	Updating.
Page 8/ 9	Add: reference to the primary Core Strategy and Development Management Heritage policies CS15/ DM13 owing to conservation area.	To reflect English Heritage's representations on emphasising more clearly the historical importance of the town centre.
	Add conservation area boundary to Figure 02.	
Page 9	remove North direction indicator from fig 2	
Page 10	Amend: text to cover: - 24 month preparation period	Updating.

	T =	<u> </u>
	- Three public engagement events	
	- Text on the third statutory consultation event - Outline more detail is available in the	
	separate Statement of Community Involvement	
Page 12	Amend:	Updating.
rage 12	Delete ref to formal consultation as updated	Opuating.
	elsewhere.	
Pages 14 - 25	Add: reference to make clear base date of	For clarity.
l ages : =s	data/ reporting of 2009, with some evidence	. o. o.a.ny.
	updated to reflect 2010 situation.	
	Amend: various references to read (words to	
	the effect of) 'at the time of writing'.	
David 4.4		
Page 14	para 3.1.3 'a separate report' is referred to.	
Dogo 22	Please give proper title.	In recognition this is a short to
Page 22	Amend: Keep broad so remove references to 'quarters'.	In recognition this is a short to long term plan.
	quarters.	long term plan.
	Update: text on 'The Economy' to conclude the	
	section more effectively.	
Page 28	Add: reference to make clearer that when	For clarity and to aid the
	preparing and submitting planning applications	planning process and
	for development within the town centre regard	determination of applications.
	should be had of the Local Development	
	Principles in Appendix A as a material	
	consideration.	
Page 30	Amend: Place policy DM3 in a text box.	For clarity.
Page 30	Add: Reference to Local Development	For completeness and to
	Principles of Design/ Heritage and add new	reflect English Heritage's
Page 31	principles to Appendix A. para 4.3.1.4 replace 'outlines' with 'includes'	comments.
Page 32 & 35	Add – in full 'LATP '3'	For consistency.
1 age 32 & 33	Add - III dii EATI 3	Tor consistency.
	Add – Refer that the SPD sets the framework	For clarity and to reflect a key
	for the future CBC Parking Strategy. Add text: .	element of the ongoing
		Implementation and Delivery
	"The priorities and objectives outlined in the	Strategy.
	SPD are intended to be used as basis for the	
	Biggleswade section of the broader CBC	
	Parking Strategy". (Page 35)	
Page 34	Add: Reference to Appendix B	For clarity.
Page 34	Delete: Reference to commercial space for	Updating/correction.
i aye sa	cycling company at the Station. Also	Opaating/correction.
	references to re-siting of large cycle furniture.	
	The second of th	
Day 24	550 ()	I I I I I I I I I I I I I I I I I I I
Page 34	para 5.5.3, full stop at 'reasons' and delete	Updating/correction.
	from 'including in close proximity to the Market	
Page 20	Square'	Lindating/correction
Page 38	fig 07 – map needs to be updated to include new royal mail site	Updating/correction.
Page 41	Add: Royal Mail site development opportunity	To reflect Royal Mail's
i ago 🕶	to Figure 08.	representation.
		Updating/correction.

	"Appropriate town centre uses with active ground floor frontages"	
	Make clear requirement for ground flood active frontages.	
	Add footnote to make clear that some 'indicative' development proposals are shown over existing buildings.	
Page 44	Floorspace increase checked and updated.	Updating.
Page 43	Add: 'Long term' prior to text on Key Area 5 Franklin's Recreation Ground.	
Page 43	fig 09 – Update map to include royal mail site, e.g. extend shop/live/work to cover it.	
Page 44	Amend: Correct Figure no. to '10'	Correct typo.
Page 44	Add to last para. 'but will be referred to as a material consideration when assessing planning proposals'	For clarity and to aid the planning process and determination of applications.
İ	Typo to be corrected. 15/6/2011.	
Page 45	Amend/ Check: Figure 10 to reflect masterplan amendments / additional Key Sites. Also add total figures.	Updating. To reflect Royal Mail's representation.
	Add: Development site opportunity at Station Road / Royal Mail site as new 'KS11'. "Appropriate town centre uses with active	
	ground floor frontages'	
Page 46	bullet point three 'replace 'loop' with 'route'.	
Page 46	bullet point three replace 'encourage people to use' with 'improve connectivity of'	
Page 46	Add: Reference to Appendix B at 1.	For clarity and for plan completeness re: desired public realm materials palette.
Page 50	Add: reference to 'outdated' sewage system along Hitchin Street for reference with implementation. 'Anglian Water has indicated that the sewage system on Hitchin Street may likley require enhancements over the plan period. This and other utility works should be considered when	Following representation from Anglian Water. Further contact made with Anglian Water to clarify.
	implementing public realm or new development initiatives in the area that require	

		7
	connections to the public sewer. Any public realm improvements or utility works to take place in period must be co-ordinated to ensure minimum disruption and impact on proposed improvements'.	
Page 50	para 6.7.7, 2 nd line, delete 'likely'	
Page 50	para 6.7.7, delete from 'Central Bedfordshire Council' and replace with:	
	Central Bedfordshire Council will consider this and other utility requirements when implementing public realm improvements in this area so as to ensure minimum disruption to businesses and more effective use of resources.	
Page 52	Check: reference to additional sq m in light of Masterplan amendments. Figure to be updated to show potential maximum increase.	Updating.
Page 52	Amend: Ensure that the text is clear about the delivery prospects of Aldi. And that Key Site 6 is key to unlocking the remaining delivery sites – approach to car parking redistribution etc.	For clarity and to reflect Aldi's representation.
	Text to state: "It is acknowledged that the delivery of Key Sites 5/6 will assist with 'unlocking' the development potential of the Bonds Lane/Foundry Lane areas. This will require either a reconfiguration of the existing site uses associated with Key Sites 5 and 6 or relocation of these uses to an alternative and appropriate location elsewhere".	
	Delete: Reference to 'anchor store'. Term is misleading as Aldi itself could be considered an anchor store in its own right.	
Page 52/53 Figure 15	Add: Development site opportunity at Station Road / Royal Mail site as new 'KS11'. "Appropriate town centre uses with active ground floor frontages'	Updating. To reflect Royal Mail's representation
Page 53	fig 15 – add road name to road adjacent to Royal Mail site	
Page 54	para 6.9.2 - Amend title of green infrastructure study': 'As outlined by the Mid Bedfordshire Green Infrastructure Plan'.	
Page 54/55	Amend: The masterplan 'highlights' the opportunity Add: reference to Green Wheel and Green Infrastructure study.	To reflect there being no immediate plans for improvements. Reference to wider strategy.
Page 56 / 57	Add: onto Figure 17 reference to the	For clarity

'Safeguarded Key Employment Site see policy E1' (through Site Allocations DPD).	
Add: Reference to improving signage and existing information.	
Add: 'Development proposals should explore opportunities to create pedestrian and cycle linkages into neighbouring residential streets which would act to improve access to the proposed transport interchange ('KS12')'. Add: reference to 'Sewage Pumping Station'	To reflect public opinion on a central and accessible location for such facilities. To encourage walking/ cycling. To reflect Anglian Water's representation.
Update section/improve wording so that it is more clearly tied to the strategy objectives, e.e. Living and Working, Moving etc. Update structure chart so it reflects these objectives.	To better reflect strategic approach
Make clear the nature of and links to the Town Town Plan: Add: The Town Plan is a separate plan for the entire Town that has been developed by members of the local community. The production of the Town Plan has helped to inform the evidence base behind the Town Centre Strategy and Masterplan. A continuing relationship between these two plans and other locally driven community or neighbourhood plans will be an important element in coordinating the delivery of improvements to Biggleswade town centre.	In response to representations/comments from various contributors.
Add: references to the key Local Development Principles regarding planning contributions (to be added)	For clarity and to aid the planning process and determination of applications.
Amend: Update references to 'adopted' Site Allocations DPD.	Updating.
Check and provide updates to text as necessary.	
Add: within 'sustainable development' a new principle EN-H 'All developments should seek to sustainably address water drainage and not increase the pressure on the existing drainage and where appropriate given the Town Centre location propose the use of SuDs or equivalent techniques. Connection to the mains sewer system is sequentially least preferred National	For clarity and plan completeness. To aid the planning process and determination of applications. To reflect Anglian Water's and the Environment Agency's representations. To reflect English Heritage's
	E1' (through Site Allocations DPD). Add: Reference to improving signage and existing information. Add: 'Development proposals should explore opportunities to create pedestrian and cycle linkages into neighbouring residential streets which would act to improve access to the proposed transport interchange ("KS12")'. Add: reference to 'Sewage Pumping Station' Update section/improve wording so that it is more clearly tied to the strategy objectives, e.e. Living and Working, Moving etc. Update structure chart so it reflects these objectives. Make clear the nature of and links to the Town Town Plan: Add: The Town Plan is a separate plan for the entire Town that has been developed by members of the local community. The production of the Town Plan has helped to inform the evidence base behind the Town Centre Strategy and Masterplan. A continuing relationship between these two plans and other locally driven community or neighbourhood plans will be an important element in coordinating the delivery of improvements to Biggleswade town centre. Add: references to the key Local Development Principles regarding planning contributions (to be added) Amend: Update references to 'adopted' Site Allocations DPD. Check and provide updates to text as necessary. Add: within 'sustainable development' a new principle EN-H 'All developments should seek to sustainably address water drainage and not increase the pressure on the existing drainage and where appropriate given the Town Centre location propose the use of SuDs or equivalent techniques. Connection to the mains sewer

	B	
	Planning Policy within PPS25 should be referred, and planning proposals on sites in excess of 1 hectare should be accompanied by a Flood Risk Assessment. Investigation may be required of waste water capacity prior to advancing development proposals' Add: A new sub section 'Design and Heritage' Add a new principle EN-I 'New development should respect the historic character of the Conservation Area, being of an appropriate scale and massing and not exceeding three storeys. The appearance should reflect or respond to the Biggleswade historic context. The interface with the public realm and an overall high quality design approach is strongly encouraged as is adherence with the broad indicative masterplan framework. The Design & Access Statement submitted with development proposals should demonstrate this'. And EN-J 'Any demolition within a Conservation Area will require Conservation Area Consent via the submission of planning proposals. The overall impact on the context of the site and surrounds will need careful consideration with regard to the other principles outlined in the SPD'. And EN-K 'Reference should be made and regard had of	representations.
Page 77	Manual for Streets 2 and English Heritage Guidance – Streets for all' Add a new sub heading 'General' and new	For clarity and plan
	Local Development Principle 'G-A': 'Development proposals should have regard to the Planning Obligations SPD and emerging CIL framework. Commercial development as well as residential development will be expected to contribute in the form of planning obligations directed toward: Sustainable Transport Environmental Impacts	completeness. To aid the planning process and determination of applications.
Page 77	 Leisure Recreation, Open Space and Green Infrastructure Public Realm in the Town Centre' TR – F Amend text as per below:	
. age //	The removal of the bus loop around Century House will enable a range of improvements. This may include including increasing the	

	public space available for pedestrians, the Biggleswade town market and other events.	
Pages 79-90	No changes proposed to public realm palette	