

Item No. 7

APPLICATION NUMBER	CB/15/03182/FULL
LOCATION	Former Pig Unit, Hitchin Road, Stotfold, Hitchin, SG5 4JG
PROPOSAL	Erection of 131 dwellings with access, parking, landscaping, open space and associated works.
PARISH	Fairfield
WARD	Stotfold & Langford
WARD COUNCILLORS	Cllrs Dixon, Saunders & Saunders
CASE OFFICER	Samantha Boyd
DATE REGISTERED	10 September 2015
EXPIRY DATE	10 December 2015
APPLICANT	Lochailort Stotfold Ltd
AGENT	DLP Planning Ltd
REASON FOR COMMITTEE TO DETERMINE	Major Development - contrary to Policy
RECOMMENDED DECISION	Full Application - Approval recommended

Recommendation

That planning permission be granted subject to the following conditions and the completion of a S106 Agreement

RECOMMENDED CONDITIONS

- 1 The development hereby permitted shall begin not later than three years from the date of this permission.

Reason: To comply with Section 91 of the Town and Country Planning Act 1990 as amended by Section 51 of the Planning and Compulsory Purchase Act 2004.

- 2 **No construction of the development shall commence, notwithstanding the details submitted with the application, until details of all external materials to be used in the construction of the buildings hereby approved have been submitted to and approved in writing by the Local Planning Authority. The development shall be carried out in accordance with the approved details.**

Reason: To control the appearance of the buildings in the interests of the visual amenities of the locality in accordance with Policy DM3 of the Core Strategy and Development Management Policies Document (2009)

3 No development (other than that required to be carried out as part of an approved scheme of remediation) shall take place until conditions (a) to (c) below have been complied with, unless otherwise agreed in writing by the Local Planning Authority. If unexpected contamination is found after development has begun, development must be halted on that part of the site affected by the unexpected contamination to the extent specified by the Local Planning Authority in writing until condition (c) has been complied with in relation to that contamination.

(a) Submission of a Remediation Scheme

A detailed remediation scheme to bring the site to a condition suitable for the intended use by removing unacceptable risks to human health, buildings and other property and the natural and historic environment must be prepared, and is subject to the approval in writing of the Local Planning Authority. The scheme must include all works to be undertaken, proposed remediation objectives and remediation criteria, timetable of works, and site management procedures. The scheme must ensure that the site will not qualify as contaminated land under Part 2A of the Environmental Protection Act 1990 in relation to the intended use of the land after remediation.

(b) Implementation of Approved Remediation Scheme

The approved remediation scheme must be carried out in accordance with its terms prior to the commencement of development other than that required to carry out remediation, unless otherwise agreed in writing by the Local Planning Authority. The Local Planning Authority must be given two weeks written notification of commencement of the remediation scheme works.

Following completion of measures identified in the approved remediation scheme, a verification report that demonstrates the effectiveness of the remediation carried out must be produced, and is subject to the approval in writing of the Local Planning Authority.

(c) Reporting of Unexpected Contamination

In the event that contamination is found at any time when carrying out the approved development that was not previously identified it must be reported in writing immediately to the Local Planning Authority. An investigation and risk assessment must be undertaken in accordance with DEFRA and the Environment Agency's 'Model Procedures for the management of Land Contamination, CLR 11'.

Following completion of measures identified in the approved remediation scheme a verification report must be prepared, which is subject to the approval in writing of the Local Planning Authority in accordance with condition (b).

Reason: Required prior to the commencement of development to ensure that risks from land contamination to the future users of the land and neighbouring land are minimised, together with those to controlled waters, property and ecological systems, and to ensure that the development can be carried out safely without unacceptable risks to workers, neighbours and other offsite receptors in accordance with the Core Strategy and Development Management Policies Document (2009).

- 4 **No development shall take place until details of the existing and final ground and slab levels of the buildings hereby approved have been submitted to and approved in writing by the Local Planning Authority. Such details shall include sections through both the site and the adjoining properties, the location of which shall first be agreed in writing with the Local Planning Authority. Thereafter the site shall be developed in full accordance with the approved details.**

Reason: To ensure that an acceptable relationship results between the new development and adjacent buildings and public areas accordance with Policy DM3 of the Core Strategy and Development Management Policies Document (2009)

- 5 **No construction works shall commence until a detailed surface water drainage scheme, based on the agreed Flood Risk Assessment ref 1377 FRA September 2015 has been submitted to and approved in writing by the Local Planning Authority. Infiltration systems shall only be used where it can be demonstrated that they will not pose a risk to groundwater quality. The scheme shall include a restriction in run-off rates as outlined in the FRA. The scheme shall be implemented in accordance with the approved details before the development is completed. The development shall be carried out in accordance with the approved details.**

Reason: To protect and prevent the pollution of controlled waters from potential pollutants associated with the current and previous land uses in line with the National Planning Policy Framework and Environment Agency Groundwater Protection: Principles and Practice (GP3) and in accordance with Policy DM3 of the Core Strategy and Development Management Policies Document (2009)

- 6 **Prior to and during demolition and construction works, all tree protection measures and working method procedures shall be carried out in strict accordance with the Haydens Tree Survey Arboricultural Impact Assessment Preliminary Arboricultural Method Statement & Tree Protection Plan (11/11/15 Rev A) and plans 4820-D/2/rev A, 4820-D/1 rev A,**

Reason: To ensure that a satisfactory standard of working practice is implemented that safeguards the trees from damage incurred during development works, so as to ensure the health, safety, amenity and screening value of the retained trees in accordance with policies contained within the Core Strategy and Development Management Policies Document (2009)

- 7 **Prior to the commencement of any construction works of the development hereby approved (which for the avoidance of doubt excludes any demolition works), a landscaping scheme, to include all hard and soft landscaping and boundary treatments, shall be submitted to and approved in writing by the Local Planning Authority. The approved scheme shall be implemented by the end of the full planting season immediately following completion and/or first use of any building (a full planting season means the period from October to March). The trees, shrubs and grass shall subsequently be maintained for a period of five years from the date of planting and any which die or are destroyed during this period shall be replaced during the next planting season with others of a similar size and species.**

Reason: To ensure an acceptable standard of landscaping in the interests of visual amenity and biodiversity in accordance with Policy DM3 of the Core Strategy and Development Management Policies Document (2009)

- 8 **Prior to the commencement of any construction works for the development hereby approved (which for the avoidance of doubt excludes any demolition works), a detailed waste collection strategy for the development shall be submitted to and approved in writing by the Local Planning Authority. The strategy shall be implemented in accordance with the approved details.**

Reason: To ensure that development is adequately provided with waste and recycling facilities in accordance with Policy WSP5 of the Bedford Borough, Central Bedfordshire and Luton Borough Council's Minerals and Waste Local Plan: Strategic Sites and Policies (2014) and Policy DM3 of the Core Strategy and Development Management Policies Document (2009).

- 9 **Prior to the commencement of any construction works on the site a scheme detailing on-site equipped play provision and details of the arrangements for the future maintenance of the play equipment shall be submitted to and approved in writing by the Local Planning Authority. The approved scheme shall be implemented prior to the first occupation of any dwelling unless otherwise agreed in writing with the Local Planning Authority.**

Reason: To ensure satisfactory provision for play facilities to serve the development in accordance with Policy DM3 of the Core Strategy and Development Management Policies Document (2009).

- 10 **Prior to the commencement of construction work hereby approved (which for the avoidance of doubt excludes any demolition works) details of any external lighting to be installed, including the design of the lighting unit, any supporting structure and the extent of the area to be illuminated, shall have been submitted to approved in writing by the Local Planning Authority. The external lighting shall be installed in accordance with the approved details.**

Reason: To protect the visual amenity of the site and in the interests of biodiversity in accordance with Policy DM3 of the Core Strategy and Development Management Policies Document (2009).

- 11 **No construction work on the buildings hereby approved shall commence before details of how the development will achieve a reduction in carbon emissions of at least 10% more than required by current Building Regulations through the use of on-site or near-site renewable or low carbon technology energy generation have been submitted to and approved in writing by the Local Planning Authority. The development shall be carried out as approved.**

Reason: Required prior to commencement to ensure the development is energy sufficient and sustainable in accordance with Policy DM1 and DM2 of the Core Strategy and Development Management Policies Document (2009).

- 12 No part of the development shall be occupied until a site wide travel plan has been submitted to and approved in writing by the council, such a travel plan to include details of:

- Baseline survey of site occupants in relation to these current/proposed travel patterns;
- Predicted travel to and from the site and targets to reduce car use.
- Details of existing and proposed transport links, to include links to both pedestrian, cycle and public transport networks.
- Proposals and measures to minimise private car use and facilitate walking, cycling and use of public transport.
- Detailed 'Action Plan' to include specific timetabled measures designed to promote travel choice and who will be responsible
- Plans for monitoring and review, annually for a period of 5 years.
- Details of provision of cycle parking in accordance with Central Bedfordshire Council guidelines.
- Details of marketing and publicity for sustainable modes of transport to include site specific welcome packs. Welcome pack to include:
 - a) site specific travel and transport information,
 - b) details of sustainable incentives (e.g. travel vouchers)
 - c) maps showing the location of shops, recreational facilities, employment and educational facilities
 - d) details of relevant pedestrian, cycle and public transport routes to/ from and within the site.

e) copies of relevant bus and rail timetables together with discount vouchers for public transport and cycle purchase.

f) details of the appointment of a travel plan co-ordinator.

No part of the development shall be occupied prior to implementation of those parts identified in the travel plan [or implementation of those parts identified in the travel plan as capable of being implemented prior to occupation]. Those parts of the approved travel plan that are identified therein as being capable of implementation after occupation shall be implemented in accordance with the timetable contained therein and shall continue to be implemented as long as any part of the development is occupied.

Reason: To promote sustainable modes of travel and to reduce the potential traffic impact of the development on the local highway network in accordance with Policy DM3.

- 13 **Development shall not begin until the detailed plans and sections of the proposed road(s), including gradients and method of surface water disposal have been approved by the Local Planning Authority and no building shall be occupied until the section of road which provides access has been constructed (apart from final surfacing) in accordance with the approved details.**

Reason: To ensure that the proposed roadworks are constructed to an adequate standard in accordance with Policy DM3.

- 14 **No development shall take place until a Construction Traffic Management Plan (CTMP) has been submitted to and approved in writing by the Local Planning Authority. The CTMP shall include proposals for construction traffic routes, the scheduling and timing of movements, any traffic control, signage within the highway inclusive of temporary warning signs, together with on-site parking and turning of delivery vehicles and wheel wash facilities. The CTMP shall be implemented in accordance with the approved details for the duration of the construction period.**

Reason: Details are required prior to work commencing on site in order to minimise danger, obstruction and inconvenience to users of the highway and the site.

- 15 Notwithstanding the provisions of the Town and Country Planning General Permitted Development Order 2015, or any amendments thereto, the garage accommodation on the site shall not be used for any purpose, other than as garage accommodation, unless permission has been granted by the Local Planning Authority on an application made for that purpose.

Reason: To retain off-street parking provision and thereby minimise the potential for on-street parking which could adversely affect the convenience of road users.

- 16 Each unit within the apartment block hereby approved shall be occupied only by :
- a) persons aged 55 or older; or
 - b) a widow or widower of such a person or persons, or
 - c) any resident dependant or dependants of such a person or persons, or
 - d) a resident carer of such a person or persons.

Reason: In view of the limited amenity space provided with the apartments and given the need or elderly accommodation in the area and in accordance with the NPPF.

- 17 The development hereby permitted shall not be carried out except in complete accordance with the details shown on the submitted plans, numbered 5793/001, 5793/004, 5793/002C, 5793/007, 5793/008, 5793/003A, 070, 071, 072, 5793/006B, P440/001 rev A, 5793/056, 5793/055, 5793/054, 5793/053, 5793/052, 5793/015/01A, 5793/015/B, 5793/033/B, 5793/033/01A, 5793/032/B, 5793/032/1B, 5793/031/B, 5793/031/1A, 5793/027/A, 5793/027/15793/026/B, 5793/026/1, 5793/025/A, 5793/025/1, 5793/024/A, 5793/024/1, 5793/023/A, 5793/023/1, 5793/022/A, 5793/022/1, 5793/021/A, 5793/021/1, 5793/020/A, 5793/020/1A, 5793/0196, 5793/0196/1, 5793/0195, 5793/0195/1, 5793/0193/1, 5793/0193, 5793/0194, 5793/0194/1, 5793/0192, 5793/0192/1, 5793/016A, 5793/016/1, 5793/017/A, 5793/017/1, 5793/018/A, 5793/018/1A, 5793/019/1, 5793/019/A, 5793/0191, 5793/0191/1, 5793/034, 5793/035/A, 4820-D EXTRACT, P440/SK002A, P440/SK001, P440/SK003, P440/001 rev B.

Flood Risk Assessment ref 1377 FRA September 2015, Capacity Analysis Report September 2015, Tree Survey Arboricultural Impact Assessment Preliminary Arboricultural Method Statement & Tree Protection Plan (11/11/15 Rev A), 4820-D-1/A, 4820-D-2/A, Updated Ground Investigation ref BRD1534-OR3-A, BG_1035_01A rev A, Transport Assessment ref: 406.05741.00003, Heritage Asset Assessment 2014/007 Version 1.0, Phase 1 Desk Study BRD1534-OR1 version B July 2012, Phase 2 Site Investigation BRD1534-OR2 version B September 2012, Preliminary Ecological Appraisal December 2013, Final Ecological Appraisal October 2015,

Reason: To identify the approved plan/s and to avoid doubt.

- 18 No development shall commence until a revised storm water strategy has been submitted and approved by the Local Planning Authority. For the avoidance of doubt the strategy shall require a discharge rate at or below the current demonstrable formalised discharge rate for the site. The development shall be implemented in accordance with the approved details.

Reason: To ensure the development does not pose a risk to flooding in accordance with the NPPF.

INFORMATIVE NOTES TO APPLICANT

1. This permission relates only to that required under the Town & Country Planning Acts and does not include any consent or approval under any other

enactment or under the Building Regulations. Any other consent or approval which is necessary must be obtained from the appropriate authority.

2. In accordance with Article 35 (1) of the Town and Country Planning (Development Management Procedure) (England) Order 2015, the reason for any condition above relates to the Policies as referred to in the Core Strategy and Development Management Policies Document (2009)
3. The applicant is advised that in order to comply with this permission it will be necessary for the developer of the site to enter into an agreement with Central Bedfordshire Council as Highway Authority under Section 278 of the Highways Act 1980 to ensure the satisfactory completion of the access and associated road improvements. Further details can be obtained from the Development Control Group, Development Management Division, Central Bedfordshire Council, Priory House, Monks Walk, Chicksands, Shefford SG17 5TQ.

The applicant is advised that no highway surface water drainage system designed as part of a new development, will be allowed to enter any existing highway surface water drainage system without the applicant providing evidence that the existing system has sufficient capacity to account for any highway run off generated by that development. Existing highway surface water drainage systems may be improved at the developers expense to account for extra surface water generated. Any improvements must be approved by the Development Control Group, Development Management Division, Central Bedfordshire Council, Priory House, Monks Walk, Chicksands, Shefford SG17 5TQ.

The applicant is advised that the requirements of the New Roads and Street Works Act 1991 will apply to any works undertaken within the limits of the existing public highway. Further details can be obtained from the Traffic Management Group Highways and Transport Division, Central Bedfordshire Council, Central Bedfordshire Council, Priory House, Monks Walk, Chicksands, Shefford SG17 5TQ

The applicant is advised that if it is the intention to request Central Bedfordshire Council as Local Highway Authority, to adopt the proposed highways as maintainable at the public expense then details of the specification, layout and alignment, width and levels of the said highways together with all the necessary highway and drainage arrangements, including run off calculations shall be submitted to the Development Control Group, Development Management Division, Central Bedfordshire Council, Priory House, Monks Walk, Chicksands, Shefford SG17 5TQ . No development shall commence until the details have been approved in writing and an Agreement made under Section 38 of the Highways Act 1980 is in place.

All roads to be constructed within the site shall be designed in accordance with Central Bedfordshire Council's publication "Central Bedfordshire Design Guide A guide for designing high quality new developments" and the Department for Transport's "Manual for Streets", or any amendment thereto.

Otherwise the applicant is advised that Central Bedfordshire Council as

highway authority may not consider the proposed on-site vehicular areas for adoption as highway maintainable at public expense.

The applicant is advised that parking for contractor's vehicles and the storage of materials associated with this development should take place within the site and not extend into within the public highway without authorisation from the highway authority. If necessary the applicant is advised to contact Central Bedfordshire Council's Highway Help Desk on 03003008049. Under the provisions of the Highways Act 1980 the developer may be liable for any damage caused to the public highway as a result of construction of the development hereby approved.

Statement required by the Town and Country Planning (Development Management Procedure) (England) Order 2015 - Part 5, Article 35

The Council acted pro-actively through positive engagement with the applicant during the determination process which led to improvements to the scheme. The Council has therefore acted pro-actively to secure a sustainable form of development in line with the requirements of the Framework (paragraphs 186 and 187) and in accordance with the Town and Country Planning (Development Management Procedure) (England) Order 2015.

[Notes:

1. In advance of consideration of the application the Committee received representations made under the Public Participation Scheme.
2. In advance of consideration of the application the Committee were advised of additional consultation / publicity responses and additional comments as detailed in the Late Sheet from the following:
 - a. The education officer provided clarification on the response to the planning application and the lower school pupil forecasts
 - b. The Internal Drainage Board requested a pre commencement condition 18 above
 - c. Revised Landscape Master Plan was submitted, Plan Number P440/001 rev B and condition 17 updated to reflect this.]